



WORKS : UNIT-II: Plot No. 42/4, Amod Road, GIDC, Dahej, District-Bharuch,
Gujarat-392130, Ph.: +91-2641-291123, +91-2642-241100

Ref. BRL-Dahej/DIR/MoEF/2023/19

Date: 22th Dec, 2023

To,

Scientific C,

Integrated Regional Office,

Ministry of Environment & Forests

Aranya Bhavan, Sector 10,

Gandhinagar- 382 010

SUB: Submission of six monthly EC Compliance Report for the Period Apr-2023 to Sep-2023

Ref.: EC granted vide letter F. No. J-11011/961/2008-IA-II(I) dated 15th November, 2023

Dear Sir,

With Reference to above subject, we are submitting herewith the Six-month EC compliance Report for the period April-2023 to Sep-2023. Said compliance report is uploaded on Parivesh portal also.


Please find the above in order and acknowledge receipt.

Thanking You,


Yours faithfully,

For **BHARAT RASAYAN LIMITED**

(OLD NAME: SIRIS CROP SCIENCE LTD)


Ajay Gupta

(Director Operation)



Copy to:

1. The Secretary, Department of Environment and Forest, Govt. Of Gujarat, Secretariat, Gandhinagar - 382010.
2. The Chairman, Central Pollution Control board, Parivesh Bhavan, CBD-Cum Office Complex, East Arjun Nagar, New Delhi - 110032.
3. Monitoring Cell, Ministry Of Environment and Forest, Paryavaran Bhavan, CGO Complex, New Delhi - 110003.
4. The Member Secretary, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector - 10A, Gandhinagar - 382010.

CIN : L24119DL1989PLC036264

Regd. Off. : 1501, Vikram Tower, Rajendra Place, New Delhi - 110008
Ph. : +91-11-43661111 (30 lines) • Fax : +91-11-43661100, 41538600
E mail : info@bharatgroup.co.in • Website : www.bharatgroup.co.in

Your application has been **Submitted** with following details

Proposal No	IA/GJ/IND3/422273/2023
Compliance ID	24876180
Compliance Number(For Tracking)	EC/COMPLIANCE/24876180/2024
Reporting Year	2023
Reporting Period	01 Dec(01 Apr - 30 Sep)
Submission Date	03-01-2024
IRO Name	Shrawan Kumar Verma
IRO Email	kr099.ifs@nic.in
State	GUJARAT
IRO Office Address	Budgam
Note:- SMS and E-Mail has been sent to Shrawan Kumar Verma, GUJARAT with Notification to Project Proponent.	

EC COMPLIANCE REPORT

(Apr 2023 to Sep 2023)

For

**M/s. Bharat Rasayan Limited (Unit-II)
(Manufacturing of Agrochemicals &
Agrochemicals Intermediate)**

Plot No. 42/4, Amod Road, Dahej- I GIDC Industrial Estate,
District-Bharuch, Gujarat, India.

Submitted to:

The Ministry of Environment, Forests & Climate Change

Integrated Regional Office,
Aranya Bhavan, Sector 10
Gandhinagar-382010
Gujarat

Half yearly EC compliance report from Apr-2023 to Sep-2023

Compliance Report For Stipulated Conditions Of Environmental Clearance EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023		
Conditions		Compliance Status
	Specific Condition	
1	The PP shall maintain/develop greenbelt over an area of at least 34792.93 m² (33%) within one year of grant of EC. The saplings (1650 number of trees) selected for the plantation should be of sufficient height, preferably 6-ft. The budget earmarked for the plantation shall be kept in a separate account and should be audited annually. The PP should annually submit the audited statement along with proof of activities viz. photographs (before & after with geo-location date & time), details of expert agency engaged, details of species planted, number of species planted, survival rate, density of plantation etc. to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during previous year.	Unit has already developed greenbelt in an area of 33 % i.e. 34792.93 sqm. Out of total area of the project. It is a continuous process as more than 7232 plants have been planted. - Total Plant area - 105000 M² - Total Build-up Plot area - 45714 M² - Total Greenbelt area - 34792.93 M² Please see the below Photographs of Greenbelt is attached herewith: Unit has already planted the 1650 number of trees additionally and unit will annually submit the audited statement as per details mentioned in condition.
		

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions	Compliance Status
	
2 A separate Environmental Management Cell (having qualified persons with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. PP shall engage Head EHS-Head (R&D) for ETP - Sr. safety and fire officer- manager process safety - Manager Environment- Assistant Manager Environment- Shift Environment Engineer. In addition to this one safety & health officer as per the qualification given in Factories Act 1948 shall be engaged within a month of grant of EC. PP should annually submit the audited statement of amount spent towards the engagement of qualified persons in EMC along with details of person engaged to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during previous year.	Complied We are having separate Environmental Management Cell. Please, see the details of Environment Management cell attached below: INTRODUCTION The organization has established and maintains the documented environmental objectives and targets, at each relevant function and level within the organization. When establishing and reviewing its objectives, organization has considered the environmental policy, legal requirements, and significant environmental aspects. We have also considered our financial and business requirement in views of regulatory and customer's requirements, while framing these objectives and the targets. These targets has been discussed during the management review meetings and progress rate been evaluated for their effective implementation within the define time frame. EHS COMMITTEE 1. Objectives

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions	Compliance Status
	<pre> graph TD EMCELL[ENVIRONMENT MANAGEMENT CELL] --> CM[Chairman & MD] SHAS[Site Head for administration support] --> HEHS[Head-EHS] HRD[Head (R&D) For Effluent Treatment &] --> HEHS HEHS --> SSFO[Sr. Safety & Fire Officer] HEHS --> MPS[Manager (Process Safety)] HEHS --> ME[Manager Environment] SSFO --> SFO[Safety & Fire officer] SFO --> SSFOff[Shift Safety & Fire Officer] ME --> AME[Ass. Manager Environment] AME --> SEE[Shift Environment Engineer] AME --> EE[Environment Eng. (Executive) / Lab Incharge] SEE --> SOP[1. Shift Operator for MEE
2. Shift Operator for ETP
3. Shift Operator for Primary Treatment] SEE --> SEC[Shift Environment Lab. Chemist] </pre> i. To contribute to protection of environment by 1. Improving the environmental management system to enhance the overall environmental performance 2. Comply relevant environmental legislation and regulation 3. Conserve relevant natural resources like fuel, water, energy and promote greening of the environment ii. To promote safety & health of the employees and others associated with our operations by 1. Implementation of best practices in safety and health management system. 2. Compliance with the applicable safety and health legislation 2. Scope i. The subjected report is applicable for Bharat Rasayan Limited, Plot No. 42/4,

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions	Compliance Status
	GIDC Industrial area, Dahej. Dist. - Bharuch. ii. The subjected report provides guidelines / directions for 1. Defining the responsibilities 2. Defining the detailed instructions and / or references for various activities. 3. Responsibility - o Organization of the team responsible is illustrated with the help of following team organization chart - o Responsibilities of different functions (team members) indicated in the organization chart are as follows: Director - Operations: • To collect data from various team members as described above. • To ensure that all operations are in accordance as specified in objective and scope. • To ensure that adequate financial provision is made in budget of the environmental safe guard. Funds so earmarked shall not be diverted for any other purpose. Production: • To ensure that reactors shall be connected with suitable heat exchanger to achieve a recovery of about 95 %. • In process and solvent used in production shall be stored in a separate space with all safety measure. • Proper earthing is be provided in all electrical equipment wherever solvent handling is done. • Entire plant shall be flame proof. The solvent storage tanks shall be provided with flame arrestor was ever applicable. • To ensure that influent process water generated in the process is directed to effluent treatment plant. • To ensure that polybags and drums are decontaminated before reuse /sale /disposal. Engineering • To provide suitable utilities in plant to prevent solvent loss through vaporization.

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions	Compliance Status
	• The water intake shall not exceed 1419 KL/Day. • To provide monitoring arrangements with stacks /vents and proper prevent maintenance to control the air emission. • To ensure building & facilities are provided with suitable drains to avoid mixup of storm water with domestic waste water. • To ensure that waste oil produced is neatly maintained in dedicated containers and sold to authorized recyclers. • To provide suitable arrangements in equipment and ancillary system so as to minimize loss of fuel water and energy. • The overall noise level in and around the plant area shall be kept well within the standards by providing noise control measures. Electrical • Proper earthing is being provided in all electrical equipment wherever solvent handling is done. • Entire plant shall be flame proof. • Double earthing provides the all solvent storage tanks and process reactors. • Monitoring and control the DG Set operation (DG sets for power failure/any emergency only) Electrical consumption details are measured and monitoring to control the energy levels and reduce the energy consumption every year. HR & Admin: • To provide manpower for maintaining activities as defined in objective. • To ensure that housekeeping and gardening in factory is well maintained. • Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Gujarat factory rules. • To select the qualified and experienced employees for effective operation to reduce spillage and accidents. • To maintain the competence profile and Department HOD are minimum environment awareness and training will be given to employees for environment protection. Ware House and Accounts:

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions	Compliance Status
	• Minimum and maximum stock inventory maintain for continuous operation of Air pollution control equipment and effluent treatment plant for reduce the breakdown hours. • Financial help was providing the hazardous waste disposal and GIDC Intake water and Treated effluent water drain disposal charges and GPCB pending amounts given to timely. • Materials are stored as per compatibility to reduce the spillage and incidents. • Training was given to contract and company employees for material handling. QA & QC • Materials are stored as per compatibility to reduce the spillage and incidents. • Training was given to contract and company employees for material handling. • MSDS providing for new raw materials and product before use. • Follow the waste water disposal and Hazardous waste disposal. • Decontamination will be carried out before disposal to ETP. EHS • Minimum and maximum stock inventory maintain for continuous operation of Air pollution control equipment and effluent treatment plant for reduce the breakdown hours. • Materials are stored as per compatibility to reduce the spillage and incidents. • Training was given to contract and company employees for material handling and equipment's operation. • Training and awareness given to employees for environment protection. • Monitoring and measurement for environment performance. Timely dispose to Hazardous waste for GPCB authorized party and transporters also. • Improve the environment management system to enhance the overall environmental performance. • Comply relevant environmental legislation and regulation. • Conserve relevant natural and resources like fuel water and energy and promote greening of the environment.

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions		Compliance Status				
		Compliance with the applicable safety and health legislation.				
3	The company shall comply with all the environmental protection measures and safeguard proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented. The budget proposed under EMP is 16 Crore (Capital cost) and 27.20 Crore per annum (Recurring cost) shall be kept in separate account and should be audited annually. The PP should submit the annual audited statement along with proof of implementation of activities proposed under EMP duly supported by photographs (before after with geo-location date & time) and other document as applicable to the Regional Office o MoEF&CC before 1st July of every year for the activities carried out during previous year.	Complied				
		CONSTRUCTION & OPERATION STAGE POTENTIAL IMPACTS & MITIGATIVE MEASURES				
		Environmental Components	Potential Impacts	Sources of Impact	Mitigative Measure	Status
		Water Quality	Deterioration of water quality	Construction activity & abstraction of water for construction requirement and sanitation in housing for workers. Discharge of process effluents, sewage and utility wastewater	Proper management of surface water runoff is made. Effluent treatment plant (ETP)	Unit had installed 200 + 200 KLD + 350 KLD MEE-Stripper & ATFD and 828 KLD of Dilute stream treatment facility consist full fledged ETP, MBR followed by RO plant. Hence, unit is maintaining ZLD.
		Air Quality	Increase in SO2, NOX, SPM & HCl concentrations in	Process emissions, Fugitive emissions & Utility	Control equipment for fugitive emissions	No remarkable increase in GLCs. NAAQ Standards are met

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions		Compliance Status				
			ambient air	stack emissions	Adequate stack heights & APCE	Minor adverse impacts on ambient air quality
		Socio-Economic	Overall growth & development of area, increased employment, improvement in infrastructure and growth of downstream industries	Project activities	General area planning in advance by GIDC and classified as notified industrial estate by GIDC	Beneficial change
		Terrestrial Ecology	Minor loss of habitat-flora & fauna, loss of agricultural land	Project activities	Green belt Proper management of solid waste	No impact
		Noise	Increased noise level	Project operation	Noise abatement at generation point & green belt	No impact

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions		Compliance Status																										
					before receptor																							
		Infrastructure & Services	Improved communica tion, transport, housing, educational & medical facilities	Project	Developmen t has been gradual	Beneficial impact																						
		Environmental Hazards	Risk to environmen t & neighboring population	Handling and storage of chemicals, solvents & fuels	On site & off site Disaster management plan & Safe practices	No impact																						
4	The Total water requirement shall not exceed 3446 m3/day of which fresh water requirement of 1787 m3/day shall be met from GIDC supply. The PP should ensure that water supply should not be above the permissible limit as mentioned in the letter and fresh water shall be withdrawn only after obtaining valid agreement from Concerned Authority. The PP should submit the details of utilization to the Integrated Regional Office (IRO), MoEF&CC before 1st July of every year for the activities carried out during the previous year.	Complied As we have consume water consumption less than water requirement of 3446 m3/day. The details of water consumption for the period of April 2023 to Sep 2023 is provided below: <table><tr><th colspan="2">GIDC Water consumption from Apr 2023 to Sep 2023</th></tr><tr><th>Month</th><th>KL/Month</th></tr><tr><td>Apr-23</td><td>13888</td></tr><tr><td>May-23</td><td>12789</td></tr><tr><td>Jun-23</td><td>10163</td></tr><tr><td>Jul-23</td><td>8777</td></tr><tr><td>Aug-23</td><td>11461</td></tr><tr><td>Sep-23</td><td>12056</td></tr><tr><td>Min</td><td>8777</td></tr><tr><td>Max</td><td>13888</td></tr><tr><td>Average KL/Month</td><td>11522.33</td></tr></table>					GIDC Water consumption from Apr 2023 to Sep 2023		Month	KL/Month	Apr-23	13888	May-23	12789	Jun-23	10163	Jul-23	8777	Aug-23	11461	Sep-23	12056	Min	8777	Max	13888	Average KL/Month	11522.33
GIDC Water consumption from Apr 2023 to Sep 2023																												
Month	KL/Month																											
Apr-23	13888																											
May-23	12789																											
Jun-23	10163																											
Jul-23	8777																											
Aug-23	11461																											
Sep-23	12056																											
Min	8777																											
Max	13888																											
Average KL/Month	11522.33																											

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions		Compliance Status																																														
		Average KL/Day		384.07																																												
5	Industrial Effluent of 1501 m3/day shall be treated through Effluent Treatment Plant (ETP) having Primary, Secondary & Tertiary Treatment, MEE and RO. 150 m3/day cooling tower blowdown shall be treated through RO/Filtration and approx. 130 m3/day RO permeate shall be used as makeup water for cooling tower. 20 m3/day RO reject shall be treated in MEE system. 644 m3/day industrial effluent shall be treated through pre-treatment, stripper and MEE system. 616 m3/day MEE condensate and 828 m3/day industrial effluent shall be treated in ETP. 1439 m 3/day shall be treated in ETP by giving tertiary treatment. 739 m3/day ETP treated effluent will be passed through cartridge filter. 117 m3/day shall be used in cooling tower makeup and 622 m 3/day to processing, APCM and washing purpose. 700 m3/day ETP treated effluent shall be treated through RO, MEE and approximately 505 m3/day RO permeate and 185 m3/day MEE condensate shall be used for boiler makeup. Domestic effluent of 100 m3/day shall be treated through Sewage Treatment Plant (STP) & treated water shall be used for greenbelt development and maintenance OR mixed with industrial effluent.	Industrial effluent generation is also less than 1501 m3/ day. Effluent stream are segregated into High TDS/COD, Low TDS/COD, and Domestic waste. However High TDS/COD stream has been treated in Stripper column followed by MEE and ATFD. Dilute stream having low TDS/COD has been treated in Biological system followed by MBR and Reverse Osmosis (RO) Plant. RO Permit water has been recycle in Cooling tower make up in utility. Domestic waste has been treated separately in STP plant.																																														
<table><tr><th colspan="5">High TDS/COD Effluent Generation Data of Apr-2023 to Sep-2023</th></tr><tr><th rowspan="2">Month</th><th rowspan="2">Total in KL</th><th>Min</th><th>Max</th><th>Avg.</th></tr><tr><th colspan="3">KLD</th></tr><tr><td>Apr-23</td><td>2607</td><td>59</td><td>103</td><td>87</td></tr><tr><td>May-23</td><td>2623</td><td>33</td><td>118</td><td>95</td></tr><tr><td>Jun-23</td><td>2618</td><td>57</td><td>126</td><td>87</td></tr><tr><td>Jul-23</td><td>3215</td><td>81</td><td>179</td><td>104</td></tr><tr><td>Aug-23</td><td>3691</td><td>92</td><td>163</td><td>119</td></tr><tr><td>Sep-23</td><td>3359</td><td>76</td><td>149</td><td>112</td></tr></table>						High TDS/COD Effluent Generation Data of Apr-2023 to Sep-2023					Month	Total in KL	Min	Max	Avg.	KLD			Apr-23	2607	59	103	87	May-23	2623	33	118	95	Jun-23	2618	57	126	87	Jul-23	3215	81	179	104	Aug-23	3691	92	163	119	Sep-23	3359	76	149	112
High TDS/COD Effluent Generation Data of Apr-2023 to Sep-2023																																																
Month	Total in KL	Min	Max	Avg.																																												
		KLD																																														
Apr-23	2607	59	103	87																																												
May-23	2623	33	118	95																																												
Jun-23	2618	57	126	87																																												
Jul-23	3215	81	179	104																																												
Aug-23	3691	92	163	119																																												
Sep-23	3359	76	149	112																																												
<table><tr><th colspan="5">Low TDS/COD Effluent Generation Data of Apr-2023 to Sep-2023</th></tr><tr><th rowspan="2">Month</th><th rowspan="2">Total in KL</th><th>Min</th><th>Max</th><th>Avg.</th></tr><tr><th colspan="3">KLD</th></tr><tr><td>Apr-23</td><td>6861</td><td>112</td><td>306</td><td>229</td></tr><tr><td>May-23</td><td>6675</td><td>58</td><td>301</td><td>215</td></tr><tr><td>Jun-23</td><td>6409</td><td>96</td><td>287</td><td>213.6</td></tr><tr><td>Jul-23</td><td>7088</td><td>52</td><td>300</td><td>228.6</td></tr><tr><td>Aug-23</td><td>6995</td><td>52</td><td>314</td><td>225.64</td></tr><tr><td>Sep-23</td><td>6557</td><td>42</td><td>281</td><td>218.56</td></tr></table>						Low TDS/COD Effluent Generation Data of Apr-2023 to Sep-2023					Month	Total in KL	Min	Max	Avg.	KLD			Apr-23	6861	112	306	229	May-23	6675	58	301	215	Jun-23	6409	96	287	213.6	Jul-23	7088	52	300	228.6	Aug-23	6995	52	314	225.64	Sep-23	6557	42	281	218.56
Low TDS/COD Effluent Generation Data of Apr-2023 to Sep-2023																																																
Month	Total in KL	Min	Max	Avg.																																												
		KLD																																														
Apr-23	6861	112	306	229																																												
May-23	6675	58	301	215																																												
Jun-23	6409	96	287	213.6																																												
Jul-23	7088	52	300	228.6																																												
Aug-23	6995	52	314	225.64																																												
Sep-23	6557	42	281	218.56																																												
<table><tr><th colspan="2">STP Effluent Generation Data for the month of Apr-2023 to Sep-2023</th></tr><tr><td></td><td></td></tr></table>						STP Effluent Generation Data for the month of Apr-2023 to Sep-2023																																										
STP Effluent Generation Data for the month of Apr-2023 to Sep-2023																																																

Compliance Report For Stipulated Conditions Of Environmental Clearance EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023							
Conditions		Compliance Status					
			Month	TOTAL in KL	Min	Max	Avg.
			KLD				
			Apr-23	1130	15	73	37.7
			May-23	1192	9	66	38.5
			Jun-23	1052	6	80	35.1
			Jul-23	1824	31	85	59
			Aug-23	1373	18	79	44.3
			Sep-23	1440	29	76	48
6	As proposed, PP shall explore the possibility of reduction of Coal consumption gradually as primary fuel and replace with green fuel (Natural Gas, Agro-Briquettes).	Noted.					
7	No banned chemicals shall be manufactured by the project proponent. No banned raw materials shall be used in the unit. The project proponent shall adhere to the notifications/guidelines of the Government in this regard.	Noted. Unit has also submitted undertaking regarding the same.					

INDIA NON JUDICIAL
Government of Gujarat
Certificate of Stamp Duty



सत्यमेव जयते

Reg. Sr. No. 489/2023
Date: 13 MAR 2023
My Commission Expires
on 31st January 2025

Certificate No. : IN-GJ22684844792093V
Certificate Issued Date : 13-Mar-2023 11:06 AM
Account Reference : IMPACC (AC)/ gj13267811/ BHARUCH/ GJ-BH
Unique Doc. Reference : SUBIN-GJGJ1326781172497615482318V
Purchased by : RAJENDRA KHUMAN
Description of Document : Article 5(h) Agreement (not otherwise provided for)
Description : UNDERTAKING
Consideration Price (Rs.) : 0
(Zero)
First Party : BHARAT RASAYAN LTD
Second Party : MOEF AND CC
Stamp Duty Paid By : BHARAT RASAYAN LTD
Stamp Duty Amount(Rs.) : 300
(Three Hundred only)

BHAILALBHAI N. PARMAR
Advocate & Notary
2571, Ayodhyanager, Link Road,
Bharuch, Gujarat-392001
Mo. 9824770389



IN-GJ22684844792093V

JD 0038233558

Statutory Alert:

1. The authenticity of this Stamp certificate should be verified at 'www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding.
2. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
3. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

UNDERTAKING FOR COMMITMENT THAT NO BANNED PESTICIDES SHALL BE MANUFACTURED

We, Bharat Rasayan Limited, Plot no. 42/4, Amod Road, Dahej-I GIDC Industrial Estate, Dahej - 392 130, Dist.- Bharuch, Gujarat, India, commit that the products which are applied for prior Environmental Clearance from MoEF&CC vide proposal ID - IA/GJ/IND3/401623/2022 are not covered in the list of the pesticides banned for manufacture, in India, published by Central Insecticides Board.

Hence, we hereby undertake that no banned pesticides shall be manufactured.

(Authorized Signatory)

Place: Dahej

Date: 11/03/2023



13 MAR 2023

To Know the Signatory who has signed
to my Presence I will be Responsible
For Any Dispute & Signature And
Identification of Document

Page 1 of 1

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions		Compliance Status
8	The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard	Noted.
9	The project proponent shall comply with the environment norms for Pesticide Industry as notified by the Ministry of Environment, Forest and Climate Change, vide GSR 446(E), dated 13.6.2011 under the provisions of the Environment (Protection) Rules, 1986.	Noted.
10	All necessary precautions shall be taken to avoid accidents and action plan shall be implemented for avoiding accidents. The project proponent shall implement the onsite/offsite emergency plan/mock drill etc. and mitigation measures as prescribed under the rules and guidelines issued in the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, and the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996	Unit has onsite/offsite emergency plan.
11	The volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.97 % with effective chillers/modern technology. Regular monitoring of VOCs shall be carried out.	Complied We have provided two stage condenser system for the process vessels (primary condenser with cooling water and secondary condenser with chilled brine) where solvent recovery operations are carried out. All the solvent tanks are having breather valve and tank vents and condensers are connected to the chillers. All the solvent operations are been in closed loop to prevent losses. Further to control fugitive emissions, we have installed pumps with Carbon phased Mechanical seals with O ring and monitoring the Total VOCs with ION Science meter. We have been provided Chilled brine based condensers. 

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions

Compliance Status

Form No. 37 are also attached herewith:

FORM NO. 37
(Prescribed under Rule 12-B)

Register Containing particular of monitoring of working environment required under Section-7

1. Name of the Department / Plant A(2)(e) Plant - A
 2. Raw Materials, by Products and finished products involved in the process. ① Chlorine ② H₂S ③ Bx₂ ④ HCL
 3. Particulars of Sampling

Sr. No.	Location Operation monitored	Identified Contaminant	Sampling Instrument used	Airborne Contamination		
				Number of Samples	Range	Average
01	Plant - A	Chlorine (gas)	Fix Gas detector	01	0.0 to 2.2 ppm	0.1 ppm
02	Plant - A	Hydrogen Sulphide	Fix Gas detector	04	0.0 to 0.3 ppm	0.0 ppm
03	Plant - A	Bromine (gas)	Fix Gas detector	07	0.0 to 0.0 ppm	0.0 ppm
04	Plant - A	Hydrochloric acid	Fix Gas detector	01	0.0 to 0.0 ppm	0.0 ppm
05	Plant - A	Benzene	Portable gas detector	By V.O.C	0.0 to 0.2 ppm	0.1 ppm

ફોર્મ નંબર. ૩૭
સુ ૧૨-બી મુજબ
પ્રદુષણ નીયંત્રણ અંગેનું રજીસ્ટર

April - 2023

TWA concentration(Ac given in Second Schedule)	Reference Method	Number of Workers exposed at the location being monitored	Remarks	Signature person taking samples	Name (in block letters)
0.5 ppm	Inst. method	01	—	[Signature]	Sanvet Patel
4.0 ppm	Inst. method	02	—	[Signature]	Sanvet Patel
0.2 ppm	Inst. method	01	—	[Signature]	Sanvet Patel
25 ppm	Inst. method	02	—	[Signature]	Sanvet Patel
0.5 ppm	Inst. method	01	—	[Signature]	Sanvet Patel

FORM NO. 37
(Prescribed under Rule 12-B)

Register Containing particular of monitoring of working environment required under Section-7

1. Name of the Department / Plant A(2)(e) Plant - B
 2. Raw Materials, by Products and finished products involved in the process. ① Hydrogen ② S₂ ③ DMA
 3. Particulars of Sampling

Sr. No.	Location Operation monitored	Identified Contaminant	Sampling Instrument used	Airborne Contamination		
				Number of Samples	Range	Average
01	Plant - B	Hydrogen	Fix Gas detector	06	0.0 ppm	0.0 ppm
02	Plant - B	Sulphur dioxide	Fix Gas detector	01	0.0 ppm	0.0 ppm
03	Plant - B	Dimethyl Amine	Fix Gas detector	02	0.0 ppm	0.0 ppm

ફોર્મ નંબર. ૩૭
સુ ૧૨-બી મુજબ
પ્રદુષણ નીયંત્રણ અંગેનું રજીસ્ટર

May - 2023

TWA concentration(Ac given in Second Schedule)	Reference Method	Number of Workers exposed at the location being monitored	Remarks	Signature person taking samples	Name (in block letters)
0.1 ppm	Gas detector	01	—	[Signature]	Sanvet Patel
2 ppm	Gas detector	01	—	[Signature]	Sanvet Patel
5 ppm	Gas detector	00	—	[Signature]	Sanvet Patel

Compliance Report For Stipulated Conditions Of Environmental Clearance EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions

Compliance Status

FORM NO. 37
(Prescribed under Rule 12-B)

Register Containing particulars of monitoring of working environment required under Section-7
1. Name of the Department / Plant: Plant-A
2. Raw Materials, by Products and finished products involved in the process: None
3. Particulars of Sampling: None

Sr. No.	Location	Identified Contaminant	Sampling Instrument used	Airborne Contamination		
				Number of Samples	Range	Average
1	2	3	4	5	6	7
01	Plant-A	Chlorine gas	Fix Gas detector	06	0.3 to 0.35	0.32
02	Plant-A	Hydrogen Sulphide (H ₂ S)	Fix Gas detector	04	0.1 to 0.25	0.15
03	Plant-A	Boramine (B ₂ H ₆)	Fix Gas detector	07	0.1 to 0.5	0.25
04	Plant-A	Hydrochloric Acid (HCl)	Fix Gas detector	01	0.0 to 0.3	0.1
05	Plant-A	Benzene	Fixed Gas detector by V.O.C	00 to 0.1	0.0 to 0.1	0.05

FORM NO. 37
(Prescribed under Rule 12-B)
प्रदूषण नियंत्रण अधिनियम 1986

August-23

TWA concentration/As given in Second Schedule	Reference Method	Number of Workers exposed at the location being monitored	Remarks	Signature person taking samples	Name (in block letters)
8	9	10	11	12	13
0.5 ppm	inst method	02	—	<i>[Signature]</i>	Saraman Singh
4.0 ppm	inst method	02	—	<i>[Signature]</i>	Saraman Singh
0.2 ppm	inst method	03	—	<i>[Signature]</i>	Saraman Singh
25 ppm	inst method	02	—	<i>[Signature]</i>	Saraman Singh
0.5 ppm	inst method	0.0	—	<i>[Signature]</i>	Saraman Singh

FORM NO. 37
(Prescribed under Rule 12-B)

Register Containing particulars of monitoring of working environment required under Section-7
1. Name of the Department / Plant: Plant-B
2. Raw Materials, by Products and finished products involved in the process: Hydrogen, SO₂, DMSA
3. Particulars of Sampling: None

Sr. No.	Location	Identified Contaminant	Sampling Instrument used	Airborne Contamination		
				Number of Samples	Range	Average
1	2	3	4	5	6	7
01	Plant-B	Hydrogen	Fix Gas detector	06	0.0 to 0.05	0.02
02	Plant-B	Sulphur dioxide	Fix Gas detector	01	0.0 to 0.2	0.1
03	Plant-B	Dimethyl Arsenic	Fix Gas detector	02	0.0 to 0.05	0.02

FORM NO. 37
(Prescribed under Rule 12-B)
प्रदूषण नियंत्रण अधिनियम 1986

September-2023

TWA concentration/As given in Second Schedule	Reference Method	Number of Workers exposed at the location being monitored	Remarks	Signature person taking samples	Name (in block letters)
8	9	10	11	12	13
0.1 ppm	inst method	02	—	<i>[Signature]</i>	Saraman Singh
2 ppm	inst method	01	—	<i>[Signature]</i>	Saraman Singh
5 ppm	inst method	0.1	—	<i>[Signature]</i>	Saraman Singh

12 The storage of toxic/hazardous raw material shall be bare minimum with respect to quantity and inventory. Quantity and days of storage shall be submitted to the Regional Office of Ministry and SPCB along with the compliance report.

Noted.

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

	Compliance Status
Conditions	
13 The occupational health center for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Complied. Photograph of Occupational health given below:   Front View of Occupational Center Photograph of Ambulance   Bed for Patient Male Nurse of OHC
14 Training shall be imparted to all employees on safety and health aspects for handling chemicals. Safety and visual reality training shall be provided to employees. Action plan for mitigation measures shall be properly implemented	Complied. Training record Details as Below.

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions		Compliance Status																														
	based on the safety and risk assessment studies	SR NO	Month	No. Of Safety Training	No of Participants	Total Man Hours																										
		1	April-23	111	1211	2499																										
		2	May-23	125	1069	1577																										
		3	June-23	123	1144	1807.5																										
		4	July-23	193	1474	3229.5																										
		5	Aug-23	228	1712	3869.5																										
		6	Sep-23	225	2088	5805.5																										
		Total		1192	9651	22145																										
15	The unit shall make the arrangement for protection of possible fire hazards during Manufacturing process in material handling. Fire-fighting system shall be as per the norms.	Complied Unit have arrangement for Protection of possible fire hazard. Please, see the details of Fire and safety arrangement is attached below: DETAILS OF FIRE AND SAFETY ARRANGEMENT FOR PROTECTION OF POSSIBLE FIRE HAZARDS. • Details of Fire Hydrant System <table><tr><th>Sr. No</th><th>Name Of Pump</th><th>Capacity</th><th>Head</th><th>Starting (on) water Pressure</th></tr><tr><td>1</td><td>Main pump</td><td>273 m3/hr</td><td>70M</td><td>5 kg/cm2</td></tr><tr><td>2</td><td>Diesel pump</td><td>273 m3/hr</td><td>70M</td><td>4 kg/cm2</td></tr><tr><td>3</td><td>Jockey pump</td><td>10.8 m3/hr</td><td>70M</td><td>6 kg/cm2</td></tr></table> • Details of EHS Equipment List <table><tr><th>Sr. No</th><th>Equipment List</th><th>Quantity</th></tr><tr><td>1</td><td>Fire Escape Hydrant</td><td>57 Nos</td></tr></table>					Sr. No	Name Of Pump	Capacity	Head	Starting (on) water Pressure	1	Main pump	273 m3/hr	70M	5 kg/cm2	2	Diesel pump	273 m3/hr	70M	4 kg/cm2	3	Jockey pump	10.8 m3/hr	70M	6 kg/cm2	Sr. No	Equipment List	Quantity	1	Fire Escape Hydrant	57 Nos
Sr. No	Name Of Pump	Capacity	Head	Starting (on) water Pressure																												
1	Main pump	273 m3/hr	70M	5 kg/cm2																												
2	Diesel pump	273 m3/hr	70M	4 kg/cm2																												
3	Jockey pump	10.8 m3/hr	70M	6 kg/cm2																												
Sr. No	Equipment List	Quantity																														
1	Fire Escape Hydrant	57 Nos																														

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions		Compliance Status		
		2	Water Monitor	05 Nos
		3	Water / Foam Monitor	11 Nos
		4	Hose Reel Hose	62 Nos
		5	Water Sprinkler system	05 Nos
		6	Chemical Spill Kit	07 Nos
		7	Foam Trolley	16 Nos
		8	Chlorine kit (cl2)	02 nos
		9	SCBA Set	15 nos
		10	Foam Solution (AFFF)	7140 ltr
		11	Exp. Meter (potable)	03 nos
		12	VOC Meter	01 nos
		13	Safety Net	20 nos
		14	Fire Blanket	20 nos
		15	Total D.C.P Fire extinguisher	144 nos
		16	Total Foam Fire extinguisher	112 nos
		17	Total Co2 Fire extinguisher	97 nos
		18	Total Fire Extinguisher in safety office	43 nos
		19	Total D.C.P Fire Exiting.	126 nos
		20	Sand Drum	22 nos
		Total Foam Solution Details in Plant:		
		Sr. No.	Location	Quantity
		1	Safety Office	2680 Ltr in stock
		2	Plant-A	880 Ltr.
		3	Plant-B	900 Ltr.
		4	Plant-C	680 Ltr.
		5	Plant-D	800 Ltr.
		6	Solvent Storage Area	800 Ltr.
		7	R.M Store	400 Ltr.

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions		Compliance Status
16	The solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.	Complied. A. Yes, we have our own utilities and provided Brine/Chilling condenser and Column to reactors. B. Yes, all the pumps installed in plants are having standard mechanical seal C. Yes, the condensers are having sufficient Heat Transfer Area (HTA) and recovery more than 95% achieving. D. Solvent are stored in a separate space specified with all safety measures. E. Proper earthing are provided in all the electrical equipment wherever solvents handling are done.
17	The PP shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapor recovery system. (f) Use of high pressure-hoses for equipment cleaning to reduce wastewater generation.	Complied as we have been undertaken the following waste minimization measures • Provided magnetic flow meter for charging with metering pumps. • Vent gases re-use for internal other processes and made valuable products. Company use automated material transfer system to minimize spillage in closed loop. • Provided closed feed system into batch reactors • Maximize recovery system. We have provided Jet cleaning machine with safety standard to reduce waste water generation with high cleaning performance.
ANNEXURE-I General Condition		
	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Noted.
	The PP shall strictly comply with the rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, an Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 an other rules notified	Noted and complied.

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions		Compliance Status																							
	under various Acts																								
	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	For existing plant we are already using LED light, & we will follow it in expansion. Photograph of LED light is attached herewith: 																							
	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time)	Complied. M/s. Siddhi Green Env. Consultancy carries third party analysis. Analysis report are attached herewith. Noise Monitoring Data from Apr to Sep 2023 are attached herewith: <table><tr><th colspan="6">Noise level data Sheet Apr to Sep-23</th></tr><tr><th rowspan="2">SR No</th><th rowspan="2">Location</th><th colspan="2">Day Time</th><th colspan="2">Night Time</th></tr><tr><th>Min dB(A)</th><th>Max dB(A)</th><th>Min dB(A)</th><th>Max dB(A)</th></tr><tr><td>1</td><td>Near Security Main Gate</td><td>63</td><td>67</td><td>55</td><td>62</td></tr></table>		Noise level data Sheet Apr to Sep-23						SR No	Location	Day Time		Night Time		Min dB(A)	Max dB(A)	Min dB(A)	Max dB(A)	1	Near Security Main Gate	63	67	55	62
Noise level data Sheet Apr to Sep-23																									
SR No	Location	Day Time		Night Time																					
		Min dB(A)	Max dB(A)	Min dB(A)	Max dB(A)																				
1	Near Security Main Gate	63	67	55	62																				

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023


Conditions		Compliance Status						
		2	Near ADM office	56	59	52	60	
		3	Near ETP	70	74	65	68	
		4	Near Boiler	72	74	65	69	
		5	Near Plant A	70	73	64	67	
		6	Near Plant B	70	72	59	63	
		7	Near Plant C	70	73	63	66	
		8	Near Utility	73	74	62	68	
		9	Near Canteen	68	72	60	65	
		10	Near MEE Plant	69	72	59	67	
		Standard		75 dB(A)		70 dB(A)		
	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment	Noted. We undertakes community Welfare measures in the project area for overall improvement of environment.						
		Sr. no.	CER activities done by M/s. Bharat Rasayan Limited					Expenditure
			Infrastructure					Rs.
		1	Tree plantation in Dahej-Bharuch Highway and Amleshwar School					2.35 Lacs
		2	Provided steel barricade from Dahej Crossing to Dahej Panchayat					8.0 Lacs
		3	Donation to Bharuch collector under the scheme My liveable Ankleshwar/Bharuch					15 Lacs
		4	Provided Solar light at Amleshwar School					0.84 Lacs
		5	Room repairing and terrace IPS of Sadanand Vidhyamandir, Amleshwar					1.5 Lacs
		6	Renovation of 5 house in Tribal area of Dahej village					5 Lacs
			Education and Training					
		7	Teacher salary of Shri. P J Chhada Vidhyalaya, Dahej and Sanskar Vidhyalay Dahej					Rs.30,000/ Every Month
			Health					

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions		Compliance Status		
		8	Various activities to help the community during Covid-19	20 Lacs
		9	Installed Oxygen Plant at CHC, Gadkhol	10 Lacs
		10	Donation to CM relief fund during Corona Pandemic	51 Lacs
			Amenities and sanitation	
		11	3 computer set provide in SP office Bharuch 1 computer set provided in Mamlatdar and Executive Magistrate Kacheri, Vagra	1.33 Lacs
		12	Distribution of Eco-friendly stove at Sadanand Vidhyamandir, Amleshwar Village	5.12 Lacs
		13	Contributed in the auspicious occasion of Samuh Lagna held at Bhutnath temple	1.51 Lacs
		14	Ration kit donate to Collector officer Bharuch for flood affected People 2023	4 Lacs



Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions	Compliance Status
	 

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions

Compliance Status

મામલતદાર અને એકિઝક્યુટીવ મેજિસ્ટ્રેટની કચેરી
તા.વાગરા જી.ભરૂચ

ફોન/ફેક્સ : ૦૨૬૪૧-૨૨૫૨૧૧

ઈ-મેઈલ : mam-vagada@gujarat.gov.in

ક્રમાંક:બુમ/વસી/૪૬૬૧

તા. ૧૩/૦૪/૨૦૨૨

પ્રતિ,
 મેનેજરશ્રી
 ભારત રસાયણ લી.
 મુ.કહેજ તા:વાગરા

વિષય : સી.એસ.આર ગ્રાન્ટમાંથી કોમ્યુટર સેટ કાઢવી આપવા બાબત

જયભારત સહ ઉપરોક્ત વિષય અન્વયે જણાવવાનું કે, સરકારશ્રીના પ્રવર્તમાન નિયમો મુજબ કંપનીના સી.એસ.આર ફંડ માંથી સ્થાનિક વિકાસના કામો કરવાના થતા હોય છે. જેને અનુલક્ષીને આપશ્રી દ્વારા અગ્રેની કચેરીને ૧ (એક) કોમ્યુટર સેટ કાઢવી આપેલ છે. જે ખુબ જ પ્રશંસનીય કાર્ય હોય અગ્રેની કચેરી આપની આભારી છે.

(Signature)
મામલતદાર વાગરા



Board of Environmental Sustainability Trust

(Public Charitable Trust, Regd. under The Indian Trust Act, 1882)
 Registration No. 408/IV/Vol No. 4446 dated 08-09-2020 (Govt. of NCT of Delhi)
 Regd. - NITI Ayog Darpan, 12A/80G, CSR-1, UNGC Member

Ref.: MY LIVABLE ANKLESHWAR/CSR FUNDS/2023-24/001

DATE: 08/06/2023

To,
 Unit Head
 Bharat Rasayan Limited,
 Dahaj

Sub: An acknowledgment letter and receipt against the CSR funds received for "My Livable Ankleshwar" - CSR Initiative.

Dear Sir,

We are happy to inform you that we have received fund for ₹. 1500000 (Rupees Fifteen Lakh Only) from your esteemed organization, M/s Bharat Rasayan Limited, Ta. Vagra towards the CSR funds contribution for "My Livable Ankleshwar" - CSR Initiative of the District Administration, Bharuch.

The support extended by Bharat Rasayan Limited is invaluable and will play a pivotal role in assisting to achieve the objectives.

Please find attached herewith the Receipt No.-01, Dated:-21/04/2023 w.r.t. the contribution. If you require any further information, please feel free to contact us at sdg2030best@gmail.com

Thank you once again for your generosity and belief in this cause.

Yours sincerely,
 For Board of Environmental Sustainability Trust (BEST)

(Signature)
 Marutesh Thwari
 Associate Director - CSR & Youth Development



* Copy to :
 Shri Tushar Sumera, IAS, Collector & District Magistrate, Bharuch.

Office - # 302, 3rd Floor, Samrajya Complex, Shravan Chokdi, Dahaj Bypass Road, Bharuch-392001 (Gujarat), India
 Email : info@sdg2030best.org, sdg2030best@gmail.com Ph. : 02642-796409, Mob. - +91 8947355872



Bharat RASAYAN LIMITED

WORKS : UNIT-II Plot No. 42/4, Anand Road, GIDC, Dahaj, District-Bharuch
 Gujarat-362130, Ph. : +91-2641-291123, +91-2642-241100

પ્રતિ
 મામલતદાર શ્રી
 મામલતદાર અને એકઝીક્યુટીવ મેજિસ્ટ્રેટની કચેરી
 તા. વાગરા, જી.ભરૂચ

તા. 05-04-2022

વિષય : સી.એસ.આર ગ્રાન્ટમાંથી કોમ્યુટર સેટ કાઢવી આપવા બાબત.
 રેક : આપના તા. 29/03/2022 ના રોજ ના પત્ર ના અનુચ્છાન માં.

પ્રતિ મામલતદાર શ્રી

જય ભારત સાથે ઉપરોક્ત વિષય અનુચ્છાન માં અપશ્રી ને જણાવવાનું કે આપના ધ્વારા તા. 29/03/2022 ના રોજ મામલતદાર કચેરી વાગરા માટે ૧ કમ્યુટર સેટ કાઢવી આપવા બાબતમાં મદદ રૂપ થવા અમોને વિનંતી પત્ર આપવામાં આવેલ.

આપ શ્રી ને જણાવતા આનંદ થાય છે કે કંપની મનેજમેન્ટ ધ્વારા આપની વિનંતી મંજૂર કરવામાં આવેલ છે અને મામલતદાર કચેરી વાગરા માટે ૧ કમ્યુટર સેટ કાઢવી આપવાનું નક્કી કરેલું છે અને જેથી સ્થાનિક લોકો ના કામો ઝડપથી થશે અને સ્થાનિક લોકો ના વિકાસ, પ્રગતિ ના કામોને વેગ મળશે અને સદર કમ્યુટર સેટ કાઢવાથી થવાથી ત્યાર બાદ ની જરૂરી જાળવણી આપશ્રી (મામલતદાર કચેરી) દ્વારા કરવાની રહેશે જેની નોંધ લેશો અને સદર કમ્યુટર સેટ મળેલ છે તે બાબત નો જરૂરી સ્વીકૃતિ પત્ર આપવાનો રહેશે.

ભારત રસાયણ લિમિટેડ (સહાયક)
(Signature)
 ઓથોરાઇઝ સિગ્નેચરી

(Signature)
મામલતદાર-વાગરા
 તા. 13/4/2022

CIN : L24119DL1989PLC036264
 Regd. Off. : 1501, Vikram Tower, Rajendra Place, New Delhi - 110008
 Ph. : +91-11-43661111 (30 lines) • Fax : +91-11-43661100, 41538600
 E-mail : info@bharatgroup.co.in • Website : www.bharatgroup.co.in

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions	Compliance Status
 Shot on OnePlus By Rinkal Patel	 Shot on OnePlus By Rinkal Patel
	

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions		Compliance Status
		
		

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions

Compliance Status

વિજય રૂપાણી
મુખ્યમંત્રી, ગુજરાત સરકાર


સત્યમેવ જયતે

DL13/07/2020

શ્રીમાન/શ્રીમતિ,
Bharat Rasayan Ltd.

ભોરોના મહામારી સંદર્ભે ગુજરાતના નાગરીકોને સહાય કરવા માટે, મુખ્યમંત્રી રહેત ફંડમાં આપનું આર્થિક યોગદાન આપવા બદલ હું આપનો આભાર વ્યક્ત કરું છું.

ભોરોના મહામારીના આ કપરા સમયમાં આપના તથા આપના પરિવારના સ્વાસ્થ્યને સાચવવા તથા આ મહામારીથી આપણા દેશબંધુઓને રક્ષવાના મહત્વસાધી આપ સરકારની સુચનાઓનું પાલન કરશો તેવી આશા રાખું છું.

જય જય ગરવી ગુજરાત


(વિજય રૂપાણી)

મુખ્યમંત્રી કક્ષાએ (ISO 9001:2008 પ્રમાણિત)
3 સો માર્ગ, નવદ્વિપ સુબ-૧, અંબિકાલાલ, સોપાન-૨ - ૩૮૧૦૧૦, ગુજરાત
ફોન : +૯૧ - ૭૯ - ૨૩ ૨૫૦૦૭૧-૭૨, ફેક્સ : +૯૧ - ૭૯ - ૨૩ ૨૨૨૧૦૧, www.gujaratindia.gov.in

The Donations credited to the fund will qualify for 100% exemption under section 80 (G) (2) (a) (iii h f) of Income-Tax Act.

PAN No. AAATG 2557 L EC No. 00889886

THE GUJARAT CHIEF MINISTER'S RELIEF FUND

Received with thanks the sum of Rs. 51,00,000.00
 (Rupees Five One lakh Only)
 in cash/by cheque/by draft from Shri Bharat Rasayan Ltd.
 towards the Gujarat Chief Minister's Relief Fund.

Date 13/07/2020 C.A. No. 830532 Signature [Signature] Section Officer
20/08/2020 581 (Subject to publication) Gujarat Chief Minister's Relief Fund
 Revenue Department, Govt. of Gujarat

॥ જય ભૂતનાથ ॥ રજી.નં.-૯/૩૪૬૫/ભરૂચ PAN NO.: AASTS7910H

શ્રી ભૂતનાથ ચેરીટેબલ વેલ્ફેર ટ્રસ્ટ દહેજ
મુ.પો. દહેજ, તા. વાગરા, જી. ભરૂચ

તારીખ : ૨૫/૪/૨૦૨૨

શ્રીમાન Bharat Rasayan Limited

ગામ ડાહજ આપના વરફાથી શ્રી ભૂતનાથ ચેરીટેબલ વેલ્ફેર ટ્રસ્ટ દહેજ દ્વારા યોજાતો સમુદાય સંગોલસવામાં ફાળ પેટે અંદાજે રૂપિયા One lakh fifty one thousand only રૂપિયા મળેલ છે જે બદલ આપશ્રીનો આભાર.

કાનૂની નં. 083597/25/04/2022

31.1.51,000/- MD AL Bani તારીખ : ૨૫/૪/૨૦૨૨

॥ જય ભૂતનાથ ॥ રજી.નં.-૯/૩૪૬૫/ભરૂચ

શ્રી ભૂતનાથ ચેરીટેબલ વેલ્ફેર ટ્રસ્ટ દહેજ
મુ.પો. દહેજ, તા. વાગરા, જી. ભરૂચ PAN NO.: AASTS7910H

તારીખ : ૦૩/૦૫/૨૦૨૨

TO, MANAGER SIR
BHARAT RASAYAN LTD
DAHEJ.

Sub: Request letter regarding the contribution in the auspicious occasion of "SAMUH LAGNA"

Dear sir/madam,

As you are aware that the programme of "samuh lagna" (wedding ceremony of numerous couples under single roof.) is held at bhutnath temple, dahej

In this auspicious occasion, we select the couples who are extremely poor in their financial condition.

Our organization named "BHUTNATH CHARITABLE WELFARE TRUST REF NO. E3467 BHARUCH/BHATHUJI YUVAK MANDAL takes or anticipates/demands no money whatsoever from these marrying couples or their family.

By doing this we intend to set example of humanity and service to needy.

you are running your industry in Dahej GIDC and your prestige is unmatched.

we sincerely hope to get your support in this act of unselfishness & compassion. There will be approx 65nos of couples getting married on this day.

We are hereby enclosing a table containing an approx. idea of what would be required and how much it will cost to sponsor this event.

MARRIAGE DATE : 03.05.2022


Yours faithfully,

bhutnath charitable welfare trust (reg no. E3467 bharuch)/bhathuji yuvak mandal
dahej, ta. vagra pin 392130

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions

Compliance Status

સ્થાપના વર્ષ : ૧૯૬૧
 ॥ બિંદા અંધારેથી પરમ તેજે તું લઈ જા. ॥ ☎ : (૦૨૬૧૧) ૨૫૬૨૩૬
દહેજ પિભાગ કેળવણી મંડળ સંચાલિત
શ્રી પી. જે. છેડા જનતા વિદ્યાલય, દહેજ
 તા. વાગરા, જી. ભરૂચ, પી.કોડ નં. ૩૯૨ ૧૩૦
 મંડળ રજી. નં. ઇ. ૬૭૪ ✦ એસ.એસ.સી.ઇન્ડેક્સ નંબર : ૬૧.૫૪ ✦ એચ.એસ.સી. ઇન્ડેક્સ નંબર : (જી) ૧૧.૦૮૨ ✦

P.J.C.J.V.D/૪૭૫/૨૦૨૧-૨૨ તા. ૨૩/૦૨/૨૦૨૨

પ્રતિશ્રી,
 મેનેજરશ્રી,
 ભારત રસાયણ લીમીટેડ
 દહેજ તા.વાગરા જિ.ભરૂચ

વિષય:- શિક્ષકનાં પગાર તેમજ સોલાર લાઈટની મંજૂરી બદલ આભારપત્ર
 મે.સાહેબશ્રી,
 સવિનય જય ભારત સહ ઉપરોક્ત વિષયનાં અનુસંધાનમાં આપ સાહેબશ્રીને જણાવવાનું કે સરપંચશ્રી ગ્રામ પંચાયત, દહેજ અને અત્રેની શાળાની મોંગણી અનુસાર આપશ્રીની કંપની દ્વારા શાળામાં એક શિક્ષકનાં મહેનતાણાનાં માસિક રૂ૦૦૦૦/- (અંકે વીસ હજાર પુરા) મજૂર કરેલ છે ત્યારે આ બાબતે દહેજ ગામના વિદ્યાર્થી,વાલી અને શાળા પરિવાર વતી આપનો આભાર વ્યક્ત કરીએ છીએ.
 આપશ્રી તેમજ આપની કંપની દ્વારા આ વિસ્તારના વિકાસમાં હંમેશા સાથ અને સહકાર મળતો રહ્યો છે અને અગાઉ પણ મળતો રહેશે એવી આશા સહ અમો સદા આપના અને આપની કંપનીનાં શ્રુણી રહીશું.

આભાર સહ

લી.આપનો વિશ્વાસુ

 આચાર્ય
 શ્રી પી.જે. છેડા જનતા વિદ્યાલય
 દહેજ, તા.વાગરા, જી.ભરૂચ



પ્રતિશ્રી,
 મેનેજરશ્રી,
 ભારત રસાયણ લીમીટેડ,


 વિષય:- C.S.R ફંડ હેઠળ મંજૂર કરેલ પગાર કેળવણી મંડળ દહેજ ના એકાઉન્ટમાં નાખવા બાબત.

જય ભારત સહ ઉપરોક્ત વિષયના અનુસંધાનમાં આપશ્રી ને જણાવવાનું કે મોજે-દહેજ માટે આવેલ "શ્રી પી. જે. છેડા જનતા વિદ્યાલય, દહેજ" માં આપની કંપની "ભારત રસાયણ લીમીટેડ :દહેજ" દ્વારા એક શિક્ષક નો માસિક પગાર રૂ.૨૦૦૦૦/- (વીસ હજાર) C.S.R ફંડ હેઠળ નક્કી કરેલ છે. જે :દહેજ કેળવણી મંડળ ના નીચે જણાવેલ બેંક એકાઉન્ટ માં શિક્ષક ના પગાર પેટે નાખી આપવા આપશ્રી 1 ગ્રામપંચાયત દહેજ ની ભલામણ છે.

કેકાઉન્ટ નંબર :- 111001246603 (પી ભરૂચ ડીસ્ટ્રીક્ટ સેન્ટ્રલ બેંક)
 SC કોડ :- GSCB0BRC001

સરપંચ
 ગ્રામ પંચાયત - દહેજ
 તા. વાગરા, જી. ભરૂચ

ળ :- દહેજ
 તા. :- ૦૭/૦૩/૨૦૨૨



Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions

Compliance Status




The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.

Noted
 Approx. 16 Crore Capital cost is reserve for Environment Management/Pollution Control Measures and it will not diverted for any other purpose.

Sr. No.	Particulars	Capital Cost for expansion (Rs. In lakh)	Additional Recurring Cost Per Annum (Rs. In lakh)
1	Air Pollution Control	150	70
2	Water Pollution Control	1100	2200
3	Noise Pollution Control	5	0.1
4	Env. Monitoring & Management	150	18
5	Occupational Health & Safety	50	20

Compliance Report For Stipulated Conditions Of Environmental Clearance EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023																									
Conditions		Compliance Status																							
		6	Green Belt enhancement & Maintenance	50	10																				
		7	Solid Waste Management	95	400																				
		8	Schedule I Species conservation Plan	2	2																				
			TOTAL :-	1600	2720.1																				
	A copy of the clearance letter shall be sent by the PP to concerned Panchayat, ZillaParishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Unit has sent copy of clearance to The District collector office-Bharuch and The Mamlatdar office-Vagra as per given condition.																							
	The PP shall also upload/submit six monthly reports on Parivesh Portal on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data to the respective Integrated Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Complied. Half Yearly Compliance report are successfully submitted on Parivesh Portal. Your application has been Submitted with following details <table><tr><td>Proposal No</td><td>IA/GJ/IND3/422273/2023</td></tr><tr><td>Compliance ID</td><td>24876180</td></tr><tr><td>Compliance Number(For Tracking)</td><td>EC/COMPLIANCE/24876180/2024</td></tr><tr><td>Reporting Year</td><td>2023</td></tr><tr><td>Reporting Period</td><td>01 Dec(01 Apr - 30 Sep)</td></tr><tr><td>Submission Date</td><td>03-01-2024</td></tr><tr><td>IRO Name</td><td>Shrawan Kumar Verma</td></tr><tr><td>IRO Email</td><td>kr099.ifs@nic.in</td></tr><tr><td>State</td><td>GUJARAT</td></tr><tr><td>IRO Office Address</td><td>Budgam</td></tr></table> Note:- SMS and E-Mail has been sent to Shrawan Kumar Verma, GUJARAT with Notification to Project Proponent.				Proposal No	IA/GJ/IND3/422273/2023	Compliance ID	24876180	Compliance Number(For Tracking)	EC/COMPLIANCE/24876180/2024	Reporting Year	2023	Reporting Period	01 Dec(01 Apr - 30 Sep)	Submission Date	03-01-2024	IRO Name	Shrawan Kumar Verma	IRO Email	kr099.ifs@nic.in	State	GUJARAT	IRO Office Address	Budgam
Proposal No	IA/GJ/IND3/422273/2023																								
Compliance ID	24876180																								
Compliance Number(For Tracking)	EC/COMPLIANCE/24876180/2024																								
Reporting Year	2023																								
Reporting Period	01 Dec(01 Apr - 30 Sep)																								
Submission Date	03-01-2024																								
IRO Name	Shrawan Kumar Verma																								
IRO Email	kr099.ifs@nic.in																								
State	GUJARAT																								
IRO Office Address	Budgam																								
	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Integrated Regional Office of MoEF&CC by e-mail	Complied, The environment statement of each financial year ending 31st March in form-v Submitted regularly to the GPCB.																							

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions	Compliance Status
	
The PP shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned	Complied We have received the EC letter on 15/11/2023 and published the Advertisement in local Newspaper of Gujarat Samachar & Times of India dated 18/11/2023. We have also forwarded the newspaper advertisement copy along with EC copy to the regional office-Bharuch, GPCB Gandhinagar, CPCB Delhi, Central Ground Water Authority- Delhi, IRO Gandhinagar, MOEF & CC-Delhi and Forests & Environment Department-Gandhinagar.

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions	Compliance Status
Regional Office of the Ministry.	
The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted.
This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted.
Additional EC Conditions	
a) a) Adequate Scrubbers shall be provided to control process emissions viz. Ammonia, HCl, HBr, NaCN, DMA, Cl ₂ , H ₂ S, Br ₂ and SO ₂ . The scrubbing media	Unit has provided all the necessary scrubber to control process gas emission. Unit is complying all the given condition.

Compliance Report For Stipulated Conditions Of Environmental Clearance
EC Order No. J-11011 / 961 / 2008-IA - II(I) dated 15th November, 2023

Conditions		Compliance Status
	shall be reclaimed or sent to effluent treatment plant (ETP) for treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels shall go beyond the prescribed standards. Methane and Isobutylene shall be diffused by using Nitrogen through Flame arrestor to avoid Formation of explosive mixture.	
b)	PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12 th August, 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority.	Noted and complied.

Product List:

Sr. No.	Name of Product	CAS No.	As per Existing CTO (1)	As per Existing EC additional(2)	EC expansion for addition / reduction(3)	Total after EC Expansion (1+2+3)	Sr. NO	Production	Mar-23	Apr-23	May-23	Jun-23	Jul-23	Aug-23	Sep-23
			MT/A	MT/A	MT/A	MT/A	1.	Metaphenoxy Benzaldehyde	162.071	172.200	126.89	107	165.4	152.6	176.3
1.	2,4-D-Ethyl Ester	533-23-3	0	700	500	1200	2.	Ethion Technical	52.165	67.000	17.813	39.01	60.2	62.2	73.6
2.	4-acetyl-2-methylbenzoic acid (AMBA)	55860-35-0	0	50	0	50	3.	Diafenthion technical	134.570	37.000	34	32	35	33.16	9.71
3.	Atrazine	1912-24-9	0	400	-100	300	4.	Tebuconazole technical 93%	0.000	0.000	0.000	0.000	0.000	8.91	6.84
4.	Azoxystrobin Technical	131860-33-8	0	200	0	200	5.	Phenthoate Technical	20.584	5.570	0.000	0.000	42.2	36.8	53.2
5.	Bispyribac sodium salt	125401-92-5	0	200	0	200	6.	Thiomethoxam Technical	39.420	68.200	54	51.52	42.08	58.24	60.52
6.	Butachlor Technical	23184-66-9	0	1000	-1000	0	7.	Lambda Cyhalothrin Technical	66.100	20.510	9.5	0.000	0.000	9.36	32.88
7.	Carfentrazone-ethyl	128639-02-1	0	50	0	50	8.	Metribuzine Technical	23.000	41.500	27.23	29.25	31.65	34.46	49.6
8.	Cartap Hydrochloride	15263-52-2	0	300	0	300	9.	Metaphenoxy Benzyl alcohol	35.700	45.125	15.15	0.000	0.000	0	0
9.	Cypermethric acid chloride (CMAC)	52314-67-7	1000	2000	-1000	2000	10.	Diuron Technical	107.670	103.830	25.71	38.49	0.000	45.84	103.26
10.	Isopropyl 5-chloro-4-Methyl-2-nitrobenzoate (CMNBP)	1204518-43-3	0	100	-100	0									
11.	Cymoxanil Technical (98%)	57966-95-7	0	300	-150	150									

12.	3,6-dichloropyridazin-4-ol (DCHD)	2779-81-9	0	100	-100	0	11.	Cypermethrin technical	0.000	7.165	0.000	0.000	0.000	0	0
13.	Deltamethrin Technical	52918-63-5	0	300	-300	0	12.	Penoxsulam	0.000	0.000	3.165	0.000	0.000	0	0
14.	Fenoxaprop-P-ethyl	71283-80-2	0	200	0	200	13.	Pymetrozine	0.000	0.000	10.15	10.65	10.14	8.73	0
15.	Fenpropathrin Technical (90% min)	64257-84-7	0	150	0	150	14.	Pendimethalin Technical	0.000	0.000	0.000	8.5	30.88	47.7	67.93
16.	Halosulfuron-methyl	100784-20-1	0	50	0	50	15.	Metsulphuron Methyl Technical	0.000	0.000	0.000	10.02	0.000	0	0
17.	2-hydroxy propyloxyamine hydrochloride (HPOA HCl)	950595-72-9	50	100	50	200	16.	HPOA HCL (2-hydroxy propyloxyamine hydro chloride)	0.000	0.000	0.000	2.1	2.3	0.8	0
18.	Icaridin	119515-38-7	0	15	-15	0	17.	Tolfenpyrad	0.000	0.000	0.000	0.000	5.6	5.22	8.3
19.	Imibenconazole	86598-92-7	50	100	-100	50	18.	Paclobutrazol	0.000	0.000	0.000	0.000	2.58	7.56	9.63
20.	Isofetamid	875915-78-9	0	100	-100	0		Total	641.280	568.100	323.608	328.540	428.030	511.580	651.770
21.	Lambda CyhalothricAcid	72748-35-7	350	1000	-850	500									
22.	M,N,O-1,2 dimethyl-N-nitrosoarea	255708-80-8	0	100	-100	0									
23.	Paclobutrazol	76738-62-0	100	50	-50	100									
24.	Penoxsulam	219714-96-2	60	100	-60	100									
25.	Picoxystrobin Technical	117428-22-5	0	50	0	50									
26.	Pymetrozine	123312-89-0	300	100	-200	200									
27.	Pyriithiobac Sodium	123343-16-8	0	50	0	50									
28.	Spiromesifen Technical	283594-90-1	0	50	0	50									
29.	Thifluzamide	130000-40-7	0	170	0	170									
30.	Thiodicarb Technical (94%)	59669-26-0	0	150	0	150									
31.	Thiophanate-methyl	23564-05-8	0	200	300	500									
32.	Tolfenpyrad	129558-76-5	60	50	-10	100									
33.	Topramezone	210631-68-8	0	50	0	50									
34.	Zeta Cypermehrin	52315-07-8	0	350	250	600									
35.	Zineb	12122-67-7	0	200	-200	0									
36.	Dimefluthrin Technical	271241-14-6	0	15	-15	0									
37.	Meperfluthrin Technical	915288-13-0	0	8	-8	0									
38.	Pilot products	--	75	100	-75	100									

39.	Acetamidrid Technical	135410-20-7	0	500	-300	200
40.	Alpha Cypermethrin Technical	67375-30-8	300	300	300	900
41.	4-acetyl-2-methylbenzamide (AMBAD)	1095275-06-1	25	75	0	100
42.	Bifenthrin Technical	82657-04-3	100	600	200	900
43.	Chlorpyrifos-methyl Technical	5598-13-0	250	400	-450	200
44.	Clodinafop Propargyl Technical	105512-06-9	250	50	-100	200
45.	Cypermethrin Technical	52315-07-8	800	800	200	1800
46.	Chlorimuron Ethyl Technical (95%)	90982-32-4	10	15	0	25
47.	Diafenthiuron Technical	80060-09-9	400	500	-100	800
48.	Propanil Technical	709-98-8	0	100	50	150
49.	Diuron Technical	330-54-1	900	300	-300	900
50.	Difenoconazole Technical	119446-68-3	100	250	-200	150
51.	3',5'-Dichloro-2,2,2-trifluoroacetophenone (DCAP)	130336-16-2	25	75	0	100
52.	Ethion Technical	563-12-2	700	300	200	1200
53.	Fipronil Technical	120068-37-3	60	540	-400	200
54.	Fenpyroximate Technical	111812-58-9	15	10	0	25
55.	Isoprothiolane Technical (96%)	50512-35-1	100	50	0	150
56.	Imidacloprid Technical	138261-41-3	0	350	-50	300
57.	Indoxacarb Technical	173584-44-6	0	80	20	100
58.	Imazethapyr Technical (97%)	81335-77-5	50	50	0	100
59.	Lambda Cyhalothrin Technical	91465-08-6	600	400	200	1200
60.	m-Phenoxybenzaldehyde	39515-51-0	1750	90	1160	3000
61.	Metsulfuron-methyl Technical	74223-64-6	20	10	70	100
62.	Metribuzin Technical	21087-64-9	400	600	200	1200
63.	Novaluron Technical	116714-46-6	10	90	-50	50
64.	Propargite Technical	2312-35-8	25	75	-50	50
65.	Pendimethalin Technical	40487-42-1	600	400	0	1000

66.	Phenthoate Technical	07-03-2597	400	100	700	1200
67.	Permethrin Technical	52645-53-1	250	250	0	500
68.	Pretilachlor Technical	51218-49-6	0	400	100	500
69.	Pyrazosulfuron-ethyl Technical (97%)	93697-74-6	25	25	0	50
70.	Sulfosulfuron Technical	141776-32-1	20	30	100	150
71.	Tricyclazole Technical	41814-78-2	25	100	175	300
72.	Transfluthrin Technical	118712-89-3	60	90	0	150
73.	Thiamethoxam Technical	153719-23-4	750	400	-150	1000
74.	Tebuconazole Technical (93%)	107534-96-3	300	500	-200	600
75.	Flumethrin Technical	69770-45-2	15	15	-30	0
76.	Imiprothrin Technical	72963-72-5	8	12	-20	0
77.	Metofluthrin Technical	240494-70-6	4	18	-22	0
78.	Flumethric Acid	88419-72-1	15	35	-50	0
79.	Propoxy Ethyl Chloride	42149-74-6	0	100	-100	0
80.	Fenvalerate Technical	51630-58-1	78	0	122	200
81.	Hexaconazole Technical	79983-71-4	0	0	200	200
82.	m-Phenoxybenzyl Alcohol	13826-35-2	200	0	200	400
83.	Myclobutanil Technical	88671-89-0	15	0	5	20
84.	Prallethrin Technical	23031-36-9	25	0	75	100
85.	Profenofos Technical	41198-08-7	150	0	50	200
86.	Propiconazole Technical	60207-90-1	100	0	50	150
87.	Temephos Technical	3383-96-8	0	0	50	50
88.	Buprofezin Technical	69327-76-0	0	-140	140*	0
89.	Chlorpyrifos Technical	2921-88-2	0	-910	910*	0
90.	Dichlorvos Technical	62-73-7	0	-150	150*	0
91.	Glyphosate Technical	1071-83-6	0	-50	50*	0
92.	Paraquate Technical	4685-14-7	0	-43	43*	0

93.	Triazophos Technical	24017-47-8	0	-100	100*	0
94.	6-Fluoro-2-methyl indole (6-FMI)	40311-13-5	75	0	125	200
95.	Fluxametamide	928783-29-3	50	0	100	150
96.	Quizalofop ethyl	100646-51-3	100	0	100	200
97.	2,4-D Amine salt	2008-39-1	0	0	1200	1200
98.	2,6-Dibromo-4-(trifluoromethoxy)aniline (TFMDBA)	88149-49-9	0	0	200	200
99.	((Isopropylthio)acetic acid)	22818-59-3	0	0	100	100
100.	Chlormequat Chloride	999-81-5	0	0	200	200
101.	Glufosinate ammonium	77182-82-2	0	0	200	200
102.	Kresoxim Methyl	10217-52-4	0	0	50	50
103.	Sulfentrazone	122836-35-5	0	0	150	150
104.	Dinotefuran	165252-70-0	0	0	100	100
105.	Chlorantraniliprole	500008-45-7	0	0	600	600
106.	Pyraclostrobin	175013-18-0	0	0	50	50
107.	Cyazofamid	120116-88-3	0	0	100	100
108.	Clothianidin	210880-92-5	0	0	100	100
109.	Clomazone	81777-89-1	0	0	50	50
110.	Tembotrione	335104-84-2	0	0	200	200
111.	Trifloxystrobin	141517-21-7	0	0	100	100
112.	Flubendiamide	272451-65-7	0	0	200	200
113.	Oxyflufen	42874-03-3	0	0	100	100
114.	Quinoxifen	124495-18-7	0	0	100	100
115.	Amisulbrom	348635-87-0	0	0	100	100
116.	m-bromobenzaldehyde	3132-99-8	0	0	500	500
117.	Acetal of m-phenoxy benzaldehyde (MPBA)	62373-79-9	0	0	500	500
118.	Lambdacyhalothric acid chloride	76496-71-4	0	0	400	400
119.	Cypermethric acid (CMA)	59042-49-8	0	0	600	600

120.	Isopropyl bromide	75-26-3	0	0	600	600	
121.	5-Amino-3-cyano-1-(2,6-dichloro-4-trifluoromethylphenyl)pyrazole	120068-79-3	0	0	300	300	
122.	Para chlorophenyl acetic acid (PCPAA)	1878-66-6	0	0	250	250	
123.	Thiacloprid	111988-49-9	0	0	50	50	
124.	Pyriproxyfen	95737-68-1	0	0	100	100	
125.	Diflubenzuron	35367-38-5	0	0	50	50	
126.	Carboxin	5234-68-4	0	0	100	100	
127.	Flonicamid	158062-67-0	0	0	100	100	
128.	Ethiprole	181587-01-9	0	0	300	300	
129.	4-(Trifluoromethoxy) aniline (TFMA)	461-82-5	0	0	200	200	
	Total		12200	16900	8090	37190	